



ENKAEOS
Elektrik Elektronik A.Ş.



HYDROPHORE CONTROL PANELS

PRODUCTION CATALOGUE

HYDROPHORE CONTROL PANELS

HYDROPHORE CONTROL PANELS



SYSTEM FEATURE

- Solenoid valve outlet.
- Motor protection fuses.
- Weekly adjustable test.
- Pump replacement after each run.
- Main cutter with locking mechanism.
- Sequential operation according to water requirement.
- Pump stops when there is no water in the suction.
- Delay during commissioning of the 2nd and 3rd pumps.
- Green LED for Engine Running signal / Red LED for faults.

CONTROL PANEL & INTERNAL VIEW




Materials Used

- 1) Control Panel
- 2) Otomatik Sigorta
- 3) Kontaktör
- 4) Sigorta
- 5) Motorlu Klemesleri
- 6) Röle Çıkışı



PANEL DIMENSIONS



1 Pump

| KW | W | H | D |
|--------|-------|-------|-------|
| 7,5kW | 400mm | 500mm | 200mm |
| 11kW | 400mm | 500mm | 200mm |
| 15kW | 400mm | 500mm | 200mm |
| 18,5kW | 400mm | 500mm | 200mm |
| 22kW | 400mm | 500mm | 200mm |
| 30kW | 400mm | 600mm | 200mm |
| 37kW | 400mm | 600mm | 200mm |
| 45kW | 400mm | 600mm | 200mm |

2 Pump

| KW | W | H | D |
|--------|-------|-------|-------|
| 7,5kW | 400mm | 600mm | 200mm |
| 11kW | 400mm | 600mm | 200mm |
| 15kW | 400mm | 600mm | 200mm |
| 18,5kW | 500mm | 700mm | 240mm |
| 22kW | 500mm | 700mm | 240mm |
| 30kW | 600mm | 800mm | 260mm |
| 37kW | 600mm | 800mm | 260mm |
| 45kW | 600mm | 800mm | 260mm |

3 Pump

| KW | W | H | D |
|--------|-------|--------|-------|
| 7,5kW | 400mm | 600mm | 200mm |
| 11kW | 400mm | 600mm | 200mm |
| 15kW | 500mm | 700mm | 240mm |
| 18,5kW | 600mm | 800mm | 260mm |
| 22kW | 600mm | 800mm | 260mm |
| 30kW | 700mm | 1000mm | 260mm |
| 37kW | 700mm | 1000mm | 260mm |
| 45kW | 700mm | 1000mm | 260mm |



ENKAEOS
Elektrik Elektronik A.Ş.

Adress: Dudullu OSB mah, İmes Sanayi Sitesi C-302. Sk No:11,
34775 Ümraniye/İstanbul

Phone: 0216 364 08 88

Mail: info@enkaeos.com

www.enkaeos.com