



AUTOTEST ELECTRIC FIRE CONTROL PANEL

PRODUCTION CATALOGUE

AUTOTEST ELECTRIC FIRE CONTROL PANEL

FIRE CONTROL PANEL



SYSTEM FEATURES


- Auto Test feature.
- 48mhz operating frequency.
- Easy to use menu in Turkish.
- Ability to operate with remote start.
- Voltage protection Active and Passive selection.
- Memorizing the past 20 events with tme and date.
- Automatic testing 2 days a week (real time clock).
- Ability to see the pump current values on the screen.
- Ability to see the pump operating time on the screen.
- Password protection against unauthorized tampering.
- Measurement and display of 3- phase voltage values.
- Ability to see the date and tme information on the screen.
- Pump stop delay (10 seconds to 240 hours) can be adjusted.
- Ability to adjust the voltage protection upper and lower values.
- Float protection against waterless operation, Active and Passive.

CONTROL PANEL & INTERNAL VIEW




Kullanılan Malzemeler

- 1) Control Panel
- 2) Contactor
- 3) Fuses
- 4) Compact Circuit Breaker
- 5) Motor Terminals
- 6) Relay Output



PANEL DIMENSIONS



KW	w	H	D
7,5-11kW	450mm	500mm	170mm
15kW	450mm	500mm	170mm
18,5kW	450mm	500mm	170mm
22kW	450mm	500mm	170mm
30kW	450mm	500mm	170mm
37kW	450mm	500mm	170mm
45kW	550mm	600mm	170mm
55kW	550mm	600mm	170mm
75kW	550mm	600mm	170mm
90kW	700mm	1000mm	320mm
110kW	700mm	1000mm	320mm
132kW	1000mm	1300mm	380mm
160kW	1000mm	1300mm	380mm
200kW	1000mm	1300mm	380mm
250kW	1400mm	1500mm	400mm
315kW	1400mm	1500mm	400mm



ENKAEOS
Elektrik Elektronik A.Ş.

Adres: Dudullu OSB mah, İmes Sanayi Sitesi C-302. Sk No:11,
34775 Ümraniye/İstanbul

Tel: 0216 364 08 88

Mail: info@enkaeos.com

www.enkaeos.com